

Topics

General

MVCT/Imaging/Registration

Adaptive

Advanced Delivery

StatRT

TomoDirect

Treatment Delivery/Beam Characteristics

Dose/Optimization Algorithm

Machine QA

Dosimetry

Plan Comparison

Disease Site

- Bone
- Brain/ CNS
- Breast
- Gastrointestinal
- Gynecological
- Head and Neck
- Kidney
- Liver
- Lung
- Metastases
- Pancreas
- Pediatric
- Prostate
- Spine
- Total Body/ Marrow/ Lymph
- Stereotactic (all dates)
- Other

General

[Practical aspects of implementation of helical tomotherapy for intensity-modulated and image-guided radiotherapy.](#)

Burnet NG, Adams EJ, Fairfoul J, Tudor GS, Hoole AC, Routsis DS, Dean JC, Kirby RD, Cowen M, Russell SG, Rimmer YL, Thomas SJ.

Clin Oncol (R Coll Radiol). 2010 May;22(4):294-312. Epub 2010 Mar 29.

[Helical tomotherapy. Experiences of the first 150 patients in Heidelberg.](#)

Sterzing F, Schubert K, Sroka-Perez G, Kalz J, Debus J, Herfarth K.

Strahlenther Onkol. 2008 Jan;184(1):8-14.

[TomoTherapy: implications on daily workload and scheduling patients.](#)

Bijdekerke P, Verellen D, Tournel K, Vinh-Hung V, Somers F, Bieseman P, Storme G.

Radiother Oncol. 2008 Feb;86(2):224-30. Epub 2007 Nov 26.

[Image guidance for precise conformal radiotherapy.](#)

Mackie TR, Kapatoes J, Ruchala K, Lu W, Wu C, Olivera G, Forrest L, Tome W, Welsh J, Jeraj R, Harari P, Reckwerdt P, Paliwal B, Ritter M, Keller H, Fowler J, Mehta M.

Int J Radiat Oncol Biol Phys. 2003 May 1;56(1):89-105.

[Tomotherapy: a new concept for the delivery of dynamic conformal radiotherapy.](#)

Mackie TR, Holmes T, Swerdloff S, Reckwerdt P, Deasy JO, Yang J, Paliwal B, Kinsella T.

Med Phys. 1993 Nov-Dec;20(6):1709-19.

[An investigation of tomotherapy beam delivery.](#)

Yang JN, Mackie TR, Reckwerdt P, Deasy JO, Thomadsen BR.

Med Phys. 1997 Mar;24(3):425-36.

[Is tomotherapy the future of IMRT?](#)

Beavis AW.

Br J Radiol. 2004 Apr;77(916):285-95. Review. [Free Article](#)[Related citations](#)

MVCT/Imaging/Registration

[Comparative Analysis of an Image-Guided Versus a Non-Image-Guided Setup Approach in Terms of Delivered Dose to the Parotid Glands in Head-and-Neck Cancer IMRT.](#)

Duma MN, Kampfer S, Wilkens JJ, Schuster T, Molls M, Geinitz H.
Int J Radiat Oncol Biol Phys. 2010 Mar 27. [Epub ahead of print].

[Schedule for CT image guidance in treating prostate cancer with helical tomotherapy.](#)

Beldjoudi G, Yartsev S, Bauman G, Battista J, Van Dyk J.
Br J Radiol. 2010 Mar;83(987):241-51. Epub 2009 Jun 8.

[Analysis of daily setup variation with tomotherapy megavoltage computed tomography.](#)

Zhou J, Uhl B, Dewit K, Young M, Taylor B, Fei DY, Lo YC.
Med Dosim. 2010 Spring;35(1):31-7. Epub 2009 Feb 28.

[Three-dimensional image-based planning for cervix brachytherapy with bilateral hip prostheses: A solution using MVCT with helical tomotherapy.](#)

Korol RM, Surry K, Davidson MT, Yartsev S, Rodrigues G, D'Souza DP.
Brachytherapy. 2010 Feb 26. [Epub ahead of print]

[Modeling set-up error by daily MVCT for prostate adjuvant treatment delivered in 20 fractions: Implications for the assessment of the optimal correction strategies.](#)

Broggi S, Cozzarini C, Fiorino C, Maggiulli E, Alongi F, Cattaneo GM, Di Muzio N, Calandrino R.
Radiother Oncol. 2009 Nov;93(2):246-52. Epub 2009 Sep 18.

[Megavoltage CT in helical tomotherapy - clinical advantages and limitations of special physical characteristics.](#)

Sterzing F, Kalz J, Sroka-Perez G, Schubert K, Bischof M, Roder F, Debus J, Herfarth K.
Technol Cancer Res Treat. 2009 Oct;8(5):343-52.

[An assessment of action levels in imaging strategies in head and neck cancer using TomoTherapy. Are our margins adequate in the absence of image guidance?](#)

Houghton F, Benson RJ, Tudor GS, Fairfoul J, Gemmill J, Dean JC, Routsis DS, Jefferies SJ, Burnet NG.

Clin Oncol (R Coll Radiol). 2009 Nov;21(9):720-7. Epub 2009 Sep 8.

[Evaluation of MVCT protocols for brain and head and neck tumor patients treated with helical tomotherapy.](#)

Vaandering A, Lee JA, Renard L, Grégoire V.

Radiother Oncol. 2009 Jun 8. [Epub ahead of print]

[Schedule for CT image guidance in treating prostate cancer with helical tomotherapy.](#)

Beldjoudi G, Yartsev S, Bauman G, Battista J, VAN Dyk J.

Br J Radiol. 2009 Jun 8. [Epub ahead of print]

[Megavoltage computed tomography image-based low-dose rate intracavitary brachytherapy planning for cervical carcinoma.](#)

Wagner TH, Langen KM, Meeks SL, Willoughby TR, Zeidan OA, Staton RJ, Shah AP, Manon RR, Kupelian PA.

Technol Cancer Res Treat. 2009 Apr;8(2):123-30.

[Evaluation of Inter-fractional Setup Shifts for Site-specific Helical Tomotherapy Treatments.](#)

Lin L, Shi C, Eng T, Swanson G, Fuss M, Papanikolaou N.

Technol Cancer Res Treat. 2009 Apr;8(2):115-22.

[A comprehensive assessment by tumor site of patient setup using daily MVCT imaging from more than 3,800 helical tomotherapy treatments.](#)

Schubert LK, Westerly DC, Tomé WA, Mehta MP, Soisson ET, Mackie TR, Ritter MA, Khuntia D, Harari PM, Paliwal BR.

Int J Radiat Oncol Biol Phys. 2009 Mar 15;73(4):1260-9.

[Dosimetric Effect of Prostate Motion During Helical Tomotherapy.](#)

Langen KM, Lu W, Willoughby TR, Chauhan B, Meeks SL, Kupelian PA, Olivera G.

Int J Radiat Oncol Biol Phys. 2009 Feb 19. [Epub ahead of print]

Deformable registration of abdominal kilovoltage treatment planning CT and tomotherapy daily megavoltage CT for treatment adaptation.

Yang D, Chaudhari SR, Goddu SM, Pratt D, Khullar D, Deasy JO, El Naqa I. Med Phys. 2009 Feb;36(2):329-38.

High-dose-rate prostate brachytherapy in a patient with bilateral hip prostheses planned using megavoltage computed tomography images acquired with a helical tomotherapy unit.

Holly R, Myrehaug S, Kamran A, Sankrecha R, Morton G. Brachytherapy. 2009 Jan-Mar;8(1):70-3. Epub 2008 Nov 28.

Surface dose for five telecobalt machines, 6MV photon beam from four linear accelerators and a Hi-Art Tomotherapy.

Kinhikar RA. Technol Cancer Res Treat. 2008 Oct;7(5):381-4.

Image registration of a moving target phantom with helical tomotherapy: effect of the CT acquisition technique and action level proposal.

Woodford C, Yartsev S, Van Dyk J. Phys Med Biol. 2008 Sep 21;53(18):5093-106. Epub 2008 Aug 22

Technological approaches to in-room CBCT imaging.

Steinke MF, Bezak E. Australas Phys Eng Sci Med. 2008 Sep;31(3):167-79. Review.

[Optimization of MVCT imaging schedule in prostate cancer treatment using helical tomotherapy]

Beldjoudi G, Yartsev S, Battista JJ, Van Dyk J. Cancer Radiother. 2008 Sep;12(5):316-22. Epub 2008 Apr 23. French.

Feasibility of concurrent treatment with the scanning ultrasound reflector linear array system (SURLAS) and the helical tomotherapy system.

Peñagaricano JA, Moros E, Novák P, Yan Y, Corry P. Int J Hyperthermia. 2008 Aug;24(5):377-88.

[Estimation of setup uncertainty using planar and MVCT imaging for gynecologic malignancies.](#)

Santanam L, Esthappan J, Mutic S, Klein EE, Goddu SM, Chaudhari S, Wahab S, El Naqa IM, Low DA, Grigsby PW.

Int J Radiat Oncol Biol Phys. 2008 Aug 1;71(5):1511-7. Epub 2008 Jun 4.

[Comparison of daily couch shifts using MVCT \(TomoTherapy\) and B-mode ultrasound \(BAT System\) during prostate radiotherapy.](#)

Lin SH, Sugar E, Teslow T, McNutt T, Saleh H, Song DY.

Technol Cancer Res Treat. 2008 Aug;7(4):279-85.

[Assessment of intrafractional movement and internal motion in radiotherapy of rectal cancer using megavoltage computed tomography.](#)

Tournel K, De Ridder M, Engels B, Bijdekerke P, Fierens Y, Duchateau M, Linthout N, Reynders T, Verellen D, Storme G.

Int J Radiat Oncol Biol Phys. 2008 Jul 1;71(3):934-9.

[Evaluation of MVCT images with skin collimation for electron beam treatment planning.](#)

Beardmore AB, Rosen II, Cheek DA, Fields RS, Hogstrom KR.

J Appl Clin Med Phys. 2008 Jun 23;9(3):2773.

[A highly reproducible bolus immobilization technique for the treatment of scalp malignancies.](#)

Lin SH, Latronico D, Teslow T, Bajaj GK.

Med Dosim. 2008 Spring;33(1):30-5.

[Comparison of the 3D-conformal, helical tomotherapy and multileaf collimators-based intensity modulated radiotherapy modalities using radiobiological measures.](#)

Mavroidis P, Costa Ferreira B, Shi C, Lind BK, Papanikolaou N.

J BUON. 2008 Jan-Mar;13(1):75-86.

[Patient dose from megavoltage computed tomography imaging.](#)

Shah AP, Langen KM, Ruchala KJ, Cox A, Kupelian PA, Meeks SL.

Int J Radiat Oncol Biol Phys. 2008 Apr 1;70(5):1579-87. Epub 2008 Jan 30.

Performance characterization of megavoltage computed tomography imaging on a helical tomotherapy unit.

Meeks SL, Harmon JF Jr, Langen KM, Willoughby TR, Wagner TH, Kupelian PA. Med Phys. 2005 Aug;32(8):2673-81.

Prostate contouring uncertainty in megavoltage computed tomography images acquired with a helical tomotherapy unit during image-guided radiation therapy.

Song WY, Chiu B, Bauman GS, Lock M, Rodrigues G, Ash R, Lewis C, Fenster A, Battista JJ, Van Dyk J. Int J Radiat Oncol Biol Phys. 2006 Jun 1;65(2):595-607.

Serial megavoltage CT imaging during external beam radiotherapy for non-small-cell lung cancer: observations on tumor regression during treatment.

Kupelian PA, Ramsey C, Meeks SL, Willoughby TR, Forbes A, Wagner TH, Langen KM. Int J Radiat Oncol Biol Phys. 2005 Nov 15;63(4):1024-8. Epub 2005 Jul 11.

The utility of megavoltage computed tomography images from a helical tomotherapy system for setup verification purposes.

Forrest LJ, Mackie TR, Ruchala K, Turek M, Kapatoes J, Jaradat H, Hui S, Balog J, Vail DM, Mehta MP. Int J Radiat Oncol Biol Phys. 2004 Dec 1;60(5):1639-44.

Adaptive

[Adaptive radiation therapy in a patient with a massive nodal breast cancer recurrence.](#)

Trovò M, Drigo A, Dassie A, Abu Rumeileh I.
Tumori. 2009 Jul-Aug;95(4):550-2.

[Assessing prostate, bladder and rectal doses during image guided radiation therapy—need for plan adaptation?](#)

Varadhan R, Hui SK, Way S, Nisi K.
J Appl Clin Med Phys. 2009 Jul 9;10(3):2883.

[Consistency check of planned adaptive option on helical tomotherapy.](#)

Schirm M, Yartsev S, Bauman G, Battista J, Van Dyk J.
Technol Cancer Res Treat. 2008 Dec;7(6):425-32.

[Adaptive fractionation therapy: II. Biological effective dose.](#)

Chen M, Lu W, Chen Q, Ruchala K, Olivera G.
Phys Med Biol. 2008 Oct 7;53(19):5513-25. Epub 2008 Sep 9.

[Adaptive fractionation therapy: I. Basic concept and strategy.](#)

Lu W, Chen M, Chen Q, Ruchala K, Olivera G.
Phys Med Biol. 2008 Oct 7;53(19):5495-511. Epub 2008 Sep 9.

[Clinical implementation of adaptive helical tomotherapy: a unique approach to image-guided intensity modulated radiotherapy.](#)

Welsh JS, Lock M, Harari PM, Tomé WA, Fowler J, Mackie TR, Ritter M, Kapatoes J, Forrest L, Chappell R, Paliwal B, Mehta MP.
Technol Cancer Res Treat. 2006 Oct;5(5):465-79. Review.

[Deformable registration of the planning image \(kVCT\) and the daily images \(MVCT\) for adaptive radiation therapy.](#)

Lu W, Olivera GH, Chen Q, Ruchala KJ, Haimerl J, Meeks SL, Langen KM, Kupelian PA.
Phys Med Biol. 2006 Sep 7;51(17):4357-74. Epub 2006 Aug 15.

[Helical tomotherapy: image guidance and adaptive dose guidance.](#)

Tomé WA, Jaradat HA, Nelson IA, Ritter MA, Mehta MP.

Front Radiat Ther Oncol. 2007;40:162-78. Review.

[A technique for adaptive image-guided helical tomotherapy for lung cancer.](#)

Ramsey CR, Langen KM, Kupelian PA, Scaperoth DD, Meeks SL, Mahan SL, Seibert RM.

Int J Radiat Oncol Biol Phys. 2006 Mar 15;64(4):1237-44. Epub 2006 Jan 30.

[The use of megavoltage CT \(MVCT\) images for dose recomputations.](#)

Langen KM, Meeks SL, Poole DO, Wagner TH, Willoughby TR, Kupelian PA, Ruchala KJ, Haimerl J, Olivera GH.

Phys Med Biol. 2005 Sep 21;50(18):4259-76. Epub 2005 Aug 31.

Advanced Delivery

[Dynamic jaws and dynamic couch in helical tomotherapy.](#)

Sterzing F, Uhl M, Hauswald H, Schubert K, Sroka-Perez G, Chen Y, Lu W, Mackie R, Debus J, Herfarth K, Oliveira G.

Int J Radiat Oncol Biol Phys. 2010 Mar 15;76(4):1266-73. Epub 2009 Nov 10.

StatRT

[Helical tomotherapy-based stat rt: dosimetric evaluation for clinical implementation of a rapid radiation palliation program.](#)

McIntosh A, Dunlap N, Sheng K, Geezey C C, Turner C B, Blackhall L, Weiss G, Lappinen E, Lerner JM, Read PW.

Med Dosim. 2009 Oct 29. [Epub ahead of print]

[On-line rapid palliation using helical tomotherapy: a prospective feasibility study.](#)

MacPherson M, Montgomery L, Fox G, Carty K, Gerig L, MacRae R, Grimard L, Clark BG, Samant R.

Radiother Oncol. 2008 Apr;87(1):116-8. Epub 2008 Mar 7.

Tomodirect

Dosimetric assessment of static and helical TomoTherapy in the clinical implementation of breast cancer treatments.

Reynders T, Tournel K, De Coninck P, Heymann S, Vinh-Hung V, Van Parijs H, Duchateau M, Linthout N, Gevaert T, Verellen D, Storme G.
Radiother Oncol. 2009 Oct;93(1):71-9. Epub 2009 Aug 12.

Treatment Delivery/Beam Characteristics

Biological effect of different IMRT delivery techniques: SMLC, DMLC, and helical tomotherapy.

Shaikh M, Burmeister J, Joiner M, Pandya S, Zhao B, Liu Q.
Med Phys. 2010 Feb;37(2):762-70.

Dosimetric variances anticipated from breathing- induced tumor motion during tomotherapy treatment delivery.

Chaudhari SR, Goddu SM, Rangaraj D, Pechenaya OL, Lu W, Kintzel E, Malinowski K, Parikh PJ, Bradley JD, Low DA.
Phys Med Biol. 2009 Apr 21;54(8):2541-55. Epub 2009 Apr 6.

Correlation between dosimetric effect and intrafraction motion during prostate treatments delivered with helical tomotherapy.

Langen KM, Lu W, Ngwa W, Willoughby TR, Chauhan B, Meeks SL, Kupelian PA, Olivera G.
Phys Med Biol. 2008 Dec 21;53(24):7073-86. Epub 2008 Nov 18.

Real-time motion-adaptive delivery (MAD) using binary MLC: I. Static beam (tomotherapy) delivery.

Lu W.
Phys Med Biol. 2008 Nov 21;53(22):6491-511.

Real-time motion-adaptive delivery (MAD) using binary MLC: II. Rotational beam (tomotherapy) delivery.

Lu W.
Phys Med Biol. 2008 Nov 21;53(22):6491-511.

On the impact of longitudinal breathing motion randomness for tomotherapy delivery.

Kissick MW, Flynn RT, Westerly DC, Hoban PW, Mo X, Soisson ET, McCall KC, Mackie TR, Jeraj R.
Phys Med Biol. 2008 Sep 21;53(18):4855-73. Epub 2008 Aug 18.

Asymmetric fan beams (AFB) for improvement of the craniocaudal dose distribution in helical tomotherapy delivery.

Gladwish A, Kron T, McNiven A, Bauman G, Van Dyk J.
Med Phys. 2004 Sep;31(9):2443-8.

[Benchmarking beam alignment for a clinical helical tomotherapy device.](#)

Balog J, Mackie TR, Pearson D, Hui S, Paliwal B, Jeraj R.
Med Phys. 2003 Jun;30(6):1118-27.

[Clinical helical tomotherapy commissioning dosimetry.](#)

Balog J, Olivera G, Kapatoes J.
Med Phys. 2003 Dec;30(12):3097-106.

[Confirmation, refinement, and extension of a study in intrafraction motion interplay with sliding jaw motion.](#)

Kissick MW, Boswell SA, Jeraj R, Mackie TR.
Med Phys. 2005 Jul;32(7):2346-50.

[Dose calibration of nonconventional treatment systems applied to helical tomotherapy.](#)

Jeraj R, Mackie TR, Balog J, Olivera G.
Med Phys. 2005 Feb;32(2):570-7.

[Interpolation and extrapolation of dose measurements with different detector sizes to improve the spatial resolution of radiotherapy dosimetry as demonstrated for helical tomotherapy.](#)

McNiven A, Kron T.
Phys Med Biol. 2004 Aug 21;49(16):3665-74.

[Investigation of dose homogeneity for loose helical tomotherapy delivery in the context of breath-hold radiation therapy.](#)

Kim B, Kron T, Battista J, Van Dyk J.
Phys Med Biol. 2005 May 21;50(10):2387-404. Epub 2005 May 5

[A Monte Carlo derived TG-51 equivalent calibration for helical tomotherapy.](#)

Thomas SD, Mackenzie M, Rogers DW, Fallone BG; American Association of Physicists in Medicine.
Med Phys. 2005 May;32(5):1346-53.

[A novel method to correct for pitch and yaw patient setup errors in helical tomotherapy.](#)

Boswell SA, Jeraj R, Ruchala KJ, Olivera GH, Jaradat HA, James JA, Gutierrez A, Pearson D, Frank G, Mackie TR.
Med Phys. 2005 Jun;32(6):1630-9.

[Pitch, roll, and yaw variations in patient positioning.](#)

Kaiser A, Schultheiss TE, Wong JY, Smith DD, Han C, Vora NL, Pezner RD, Chen YJ, Radany EH.

Int J Radiat Oncol Biol Phys. 2006 Nov 1;66(3):949-55. Epub 2006 Sep 1.

[Radiation characteristics of helical tomotherapy.](#)

Jeraj R, Mackie TR, Balog J, Olivera G, Pearson D, Kapatoes J, Ruchala K, Reckwerdt P.

Med Phys. 2004 Feb;31(2):396-404.

[Real-time respiration monitoring using the radiotherapy treatment beam and four-dimensional computed tomography \(4DCT\)--a conceptual study.](#)

Lu W, Ruchala KJ, Chen ML, Chen Q, Olivera GH.

Phys Med Biol. 2006 Sep 21;51(18):4469-95. Epub 2006 Aug 22.

Dose/Optimization Algorithm

[Comment on “Monte Carlo evaluation of the convolution/superposition algorithm of Hi-Art tomotherapy in heterogeneous phantoms and clinical cases” \[Med. Phys. 36, 1566-1575 \(2009\)\]](#)

Mackenzie MA, Zhao Y, Kirkby C, Fallone BG.

Med Phys. 2009 Aug;36(8):3856; author reply 3857. No abstract available.

[Dosimetric effect of prostate motion during helical tomotherapy.](#)

Langen KM, Lu W, Willoughby TR, Chauhan B, Meeks SL, Kupelian PA, Olivera G.

Int J Radiat Oncol Biol Phys. 2009 Jul 15;74(4):1134-42. Epub 2009 Feb 21.

[Real-time motion-adaptive-optimization \(MAO\) in TomoTherapy.](#)

Lu W, Chen M, Ruchala KJ, Chen Q, Langen KM, Kupelian PA, Olivera GH.

Phys Med Biol. 2009 Jun 23;54(14):4373-4398. [Epub ahead of print]

[Statistical validation of a new helical tomotherapy patient transfer station.](#)

Zhuang AH, Liu A, Schultheiss TE, Wong JY.

J Appl Clin Med Phys. 2009 Jun 2;10(3):3060.

[Monte Carlo evaluation of the convolution/superposition algorithm of Hi-Art tomotherapy in heterogeneous phantoms and clinical cases.](#)

Sterpin E, Salvat F, Olivera G, Vynckier S.

Med Phys. 2009 May;36(5):1566-75.

[Treatment planning to improve delivery accuracy and patient throughput in helical tomotherapy.](#)

Westerly DC, Soisson E, Chen Q, Woch K, Schubert L, Olivera G, Mackie TR.

Int J Radiat Oncol Biol Phys. 2009 Jul 15;74(4):1290-7. Epub 2009 Apr 23.

[The validation of tomotherapy dose calculations in low-density lung media.](#)

Chaudhari SR, Pechenaya OL, Goddu SM, Mutic S, Rangaraj D, Bradley JD, Low D.

Phys Med Biol. 2009 Apr 21;54(8):2315-22. Epub 2009 Mar 20.

[Monte Carlo calculation of helical tomotherapy dose delivery.](#)

Zhao YL, Mackenzie M, Kirkby C, Fallone BG.

Med Phys. 2008 Aug;35(8):3491-500.

[Patient specific dosimetry for intensity-modulated radiotherapy delivered with first helical tomotherapy in India—our initial experience of 50 patients.](#)

Kinhikar RA, Master Z, Deshpande DD.

Australas Phys Eng Sci Med. 2008 Jun;31(2):139-45.

[A Monte-Carlo derived dual-source model for helical tomotherapy treatment planning.](#)

Hsiao Y, Stewart RD, Li XA.

Technol Cancer Res Treat. 2008 Apr;7(2):141-7.

[Monte Carlo simulation of helical tomotherapy with PENELOPE.](#)

Sterpin E, Salvat F, Cravens R, Ruchala K, Olivera GH, Vynckier S.

Phys Med Biol. 2008 Apr 21;53(8):2161-80. Epub 2008 Apr 3.

[Accurate convolution/superposition for multi-resolution dose calculation using cumulative tabulated kernels.](#)

Lu W, Olivera GH, Chen ML, Reckwerdt PJ, Mackie TR.

Phys Med Biol. 2005 Feb 21;50(4):655-80.

[Automatic re-contouring in 4D radiotherapy.](#)

Lu W, Olivera GH, Chen Q, Chen ML, Ruchala KJ.

Phys Med Biol. 2006 Mar 7;51(5):1077-99. Epub 2006 Feb 8.

[Deformable registration of the planning image \(kVCT\) and the daily images \(MVCT\) for adaptive radiation therapy.](#)

Lu W, Olivera GH, Chen Q, Ruchala KJ, Haimerl J, Meeks SL, Langen KM, Kupelian PA.

Phys Med Biol. 2006 Sep 7;51(17):4357-74. Epub 2006 Aug 15.

[Fast free-form deformable registration via calculus of variations.](#)

Lu W, Chen ML, Olivera GH, Ruchala KJ, Mackie TR.

Phys Med Biol. 2004 Jul 21;49(14):3067-87.

[A feasible method for clinical delivery verification and dose reconstruction in tomotherapy.](#)

Kapatoes JM, Olivera GH, Ruchala KJ, Smilowitz JB, Reckwerdt PJ, Mackie TR.
Med Phys. 2001 Apr;28(4):528-42

[Iterative approaches to dose optimization in tomotherapy.](#)

Shepard DM, Olivera GH, Reckwerdt PJ, Mackie TR.
Phys Med Biol. 2000 Jan;45(1):69-90.

[Modelling simple helically delivered dose distributions.](#)

Fenwick JD, Tomé WA, Kissick MW, Mackie TR.
Phys Med Biol. 2005 Apr 7;50(7):1505-17. Epub 2005 Mar 22.

[Motion-encoded dose calculation through fluence/sinogram modification.](#)

Lu W, Olivera GH, Mackie TR.
Med Phys. 2005 Jan;32(1):118-27.

[The use of megavoltage CT \(MVCT\) images for dose recomputations.](#)

Langen KM, Meeks SL, Poole DO, Wagner TH, Willoughby TR, Kupelian PA,
Ruchala KJ, Haimerl J, Olivera GH.
Phys Med Biol. 2005 Sep 21;50(18):4259-76. Epub 2005 Aug 31.

Machine QA

[Commissioning experience and quality assurance of helical tomotherapy machines.](#)

Sen A, West MK.

J Med Phys. 2009 Oct;34(4):194-9.

[Quality assurance of an image guided intracranial stereotactic positioning system.](#)

Soisson ET, Sobering G, Lucas D, Chao E, Olivera G, Tomé WA.

Technol Cancer Res Treat. 2009 Feb;8(1):39-49.

[Results of a two-year quality control program for a helical tomotherapy unit.](#)

Broggi S, Cattaneo GM, Molinelli S, Maggiulli E, Del Vecchio A, Longobardi B, Perna L, Fazio F, Calandrino R.

Radiother Oncol. 2008 Feb;86(2):231-41. Epub 2007 Dec 3.

[Evaluation of a diode array for QA measurements on a helical tomotherapy unit.](#)

Langen KM, Meeks SL, Poole DO, Wagner TH, Willoughby TR, Zeidan OA, Kupelian PA, Ruchala KJ, Olivera GH.

Med Phys. 2005 Nov;32(11):3424-30.

[Evaluation of the gamma dose distribution comparison method.](#)

Med Phys 30:9 (2003).

[Fast radiographic film calibration procedure for helical tomotherapy intensity modulated radiation therapy dose verification.](#)

Yan Y, Papanikolaou N, Weng X, Penagaricano J, Ratanatharathorn V.

Med Phys. 2005 Jun;32(6):1566-70.

[A helical tomotherapy dynamic quality assurance.](#)

Balog J, Holmes T, Vaden R.

Med Phys. 2006 Oct;33(10):3939-50.

[Interpolation and extrapolation of dose measurements with different detector sizes to improve the spatial resolution of radiotherapy dosimetry as demonstrated for helical tomotherapy.](#)

McNiven A, Kron T.

Phys Med Biol. 2004 Aug 21;49(16):3665-74.

[Out-of-field dosimetry measurements for a helical tomotherapy system.](#)

Ramsey C, Seibert R, Mahan SL, Desai D, Chase D.

J Appl Clin Med Phys. 2006 Aug 24;7(3):1-11.

[Technical note: output and energy fluctuations of the tomotherapy Hi-Art helical tomotherapy system.](#)

Mahan SL, Chase DJ, Ramsey CR.

Med Phys. 2004 Jul;31(7):2119-20

[Quality assurance of a helical tomotherapy machine.](#)

Fenwick JD, Tomé WA, Jaradat HA, Hui SK, James JA, Balog JP, DeSouza CN, Lucas DB, Olivera GH, Mackie TR, Paliwal BR.

Phys Med Biol. 2004 Jul 7;49(13):2933-53.

A technique for the quantitative evaluation of dose distributions.

Med Phys 25:5 (1998).

[The use of a commercial QA device for daily output check of a helical tomotherapy unit.](#)

Alaei P, Hui SK, Higgins PD, Gerbi BJ.

Med Phys. 2006 Oct;33(10):3680-2.

Dosimetry

[Evaluation of a 3D diode array dosimeter for helical tomotherapy delivery QA.](#)

Feygelman V, Opp D, Javedan K, Saini AJ, Zhang G.
Med Dosim. 2010 Jan 21. [Epub ahead of print]

[Longitudinal study using a diode phantom for helical tomotherapy IMRT QA.](#)

Geurts M, Gonzalez J, Serrano-Ojeda P.
Med Phys. 2009 Nov;36(11):4977-83.

[Skin dose study of chest wall treatment with tomotherapy.](#)

Javedan K, Zhang G, Mueller R, Harris E, Berk L, Forster K.
Jpn J Radiol. 2009 Nov;27(9):355-62. Epub 2009 Nov 27.

[An absolute dose determination of helical tomotherapy accelerator, TomoTherapy High-Art II.](#)

Bailat CJ, Buchillier T, Pachoud M, Moeckli R, Bochud FO.
Med Phys. 2009 Sep;36(9):3891-6.

[Surface dose in the treatment of breast cancer with helical tomotherapy.](#)

Zibold F, Sterzing F, Sroka-Perez G, Schubert K, Wagenknecht K, Major G, Debus J, Herfarth K.
Strahlenther Onkol. 2009 Sep;185(9):574-81. Epub 2009 Sep 12.

[Verification of tomotherapy dose delivery.](#)

Pelagade SM, Paliwal BR.
J Med Phys. 2009 Jul;34(3):188-90.

[Skin dose measurements using MOSFET and TLD for head and neck patients treated with tomotherapy.](#)

Kinhikar RA, Murthy V, Goel V, Tambe CM, Dhote DS, Deshpande DD.
Appl Radiat Isot. 2009 Sep;67(9):1683-5. Epub 2009 Mar 24

[Endo-rectal balloon cavity dosimetry in a phantom: Performance under IMRT and helical tomotherapy beams.](#)

Hardcastle N, Metcalfe PE, Rosenfeld AB, Tomé WA.
Radiother Oncol. 2009 Mar 30. [Epub ahead of print]

[The validation of tomotherapy dose calculations in low-density lung media.](#)

Chaudhari SR, Pechenaya OL, Goddu SM, Mutic S, Rangaraj D, Bradley JD, Low D.
Phys Med Biol. 2009 Apr 21;54(8):2315-22. Epub 2009 Mar 20.

[Independent calculation of dose from a helical TomoTherapy unit.](#)

Gibbons JP, Smith K, Cheek D, Rosen I.
J Appl Clin Med Phys. 2009 Feb 5;10(1):2772

[Monte Carlo evaluation of a treatment planning system for helical tomotherapy in an anthropomorphic heterogeneous phantom and for clinical treatment plans.](#)

Zhao YL, Mackenzie M, Kirkby C, Fallone BG.
Med Phys. 2008 Dec;35(12):5366-74.

[Dosimetric verification of helical tomotherapy for total scalp irradiation.](#)

Hardcastle N, Soisson E, Metcalfe P, Rosenfeld AB, Tome WA.
Med Phys. 2008 Nov;35(11):5061-8.

[Surface dose for five telecobalt machines, 6MV photon beam from four linear accelerators and a Hi-Art Tomotherapy.](#)

Kinhikar RA.
Technol Cancer Res Treat. 2008 Oct;7(5):381-4.

[Accuracy of TomoTherapy treatments for superficial target volumes.](#)

Cheek D, Gibbons JP, Rosen II, Hogstrom KR.
Med Phys. 2008 Aug;35(8):3565-73.

[Dosimetric impacts of gantry angle misalignment on prostate cancer treatment using helical tomotherapy.](#)

Su FC, Shi C, Crownover R, Swanson G, Papanikolaou N.
Technol Cancer Res Treat. 2008 Aug;7(4):287-93.

[Measurement of superficial dose from a static tomotherapy beam.](#)

Smith KS, Gibbons JP, Gerbi BJ, Hogstrom KR.

Med Phys. 2008 Feb;35(2):769-74.

[MOSFET detectors in quality assurance of tomotherapy treatments.](#)

Cherpak A, Studinski RC, Cygler JE.

Radiother Oncol. 2008 Feb;86(2):242-50. Epub 2007 Nov 26.

[Multileaf collimator transmission from the first Hi-Art II helical tomotherapy machine in India.](#)

Kinhikar RA.

J Cancer Res Ther. 2008 Apr-Jun;4(2):88-90.

[Helical tomotherapy radiation leakage and shielding considerations.](#)

Balog J, Lucas D, DeSouza C, Crilly R.

Med Phys. 2005 Mar;32(3):710-9.

[Helical tomotherapy shielding calculation for an existing LINAC treatment room: sample calculation and cautions.](#)

Wu C, Guo F, Purdy JA.

Phys Med Biol. 2006 Nov 7;51(21):N389-92. Epub 2006 Oct 16.

Plan Comparison

[A case report on the effect of fan beam thickness in helical tomotherapy of nasopharyngeal carcinoma.](#)

Wu WC, Mui WL.

Med Dosim. 2010 Feb 3. [Epub ahead of print]

[Comparison of arc-modulated cone beam therapy and helical tomotherapy for three different types of cancer.](#)

Ulrich S, Sterzing F, Nill S, Schubert K, Herfarth KK, Debus J, Oelfke U.

Med Phys. 2009 Oct;36(10):4702-10.

[Comparing planning time, delivery time and plan quality for IMRT, RapidArc and Tomotherapy.](#)

Oliver M, Ansbacher W, Beckham WA.

J Appl Clin Med Phys. 2009 Oct 7;10(4):3068.

[A treatment planning study comparing helical tomotherapy with intensity-modulated radiotherapy for the treatment of anal cancer.](#)

Joseph KJ, Syme A, Small C, Warkentin H, Quon H, Ghosh S, Field C, Pervez N, Tankel K, Patel S, Usmani N, Severin D, Nijjar T, Fallone G, Pedersen J.

Radiother Oncol. 2010 Jan;94(1):60-6. Epub 2009 Nov 4.

[Helical tomotherapy significantly reduces dose to normal tissues when compared to 3D-CRT for locally advanced rectal cancer.](#)

Jhaveri PM, Teh BS, Paulino AC, Smiedala MJ, Fahy B, Grant W, McGary J, Butler EB.

Technol Cancer Res Treat. 2009 Oct;8(5):379-85.

[Dosimetric comparisons of three-dimensional conformal radiotherapy, intensity-modulated radiotherapy, and helical tomotherapy in whole abdominopelvic radiotherapy for gynecologic malignancy.](#)

Kim YB, Kim JH, Jeong KK, Seong J, Suh CO, Kim GE.

Technol Cancer Res Treat. 2009 Oct;8(5):369-77.

[A comparison of treatment plans using linac-based intensity-modulated radiation therapy and helical tomotherapy for maxillary sinus carcinoma.](#)

Kim S, Lee IJ, Kim YB, Koom WS, Jeon BC, Lee CG, Kim GE, Keum KC.
Technol Cancer Res Treat. 2009 Aug;8(4):257-63.

[High-precision radiotherapy for craniospinal irradiation: evaluation of three-dimensional conformal radiotherapy, intensity-modulated radiation therapy and helical TomoTherapy.](#)

Sharma DS, Gupta T, Jalali R, Master Z, Phurailatpam RD, Sarin R.
Br J Radiol. 2009 Dec;82(984):1000-9. Epub 2009 Jul 6.

[A Dosimetric Analysis Comparing Treatment of Low-Risk Prostate Cancer With TomoTherapy Versus Static Field Intensity Modulated Radiation Therapy.](#)

Shah AP, Chen SS, Strauss JB, Kirk MC, Coleman JL, Coon AB, Miller C, Dickler A.
Am J Clin Oncol. 2009 Jun 26. [Epub ahead of print]

[Sparing the penile bulb in the radical irradiation of clinically localised prostate carcinoma: A comparison between MRI and CT prostatic apex definition in 3DCRT, Linac-IMRT and Helical Tomotherapy.](#)

Perna L, Fiorino C, Cozzarini C, Broggi S, Cattaneo GM, De Cobelli F, Mangili P, Di Muzio N, Calandrino R.
Radiother Oncol. 2009 Oct;93(1):57-63. Epub 2009 May 4.

[A comparison of radiation treatment plans using IMRT with helical tomotherapy and 3D conformal radiotherapy for nasal natural killer/T-cell lymphoma.](#)

Tomita N, Kodaira T, Tachibana H, Nakamura T, Nakahara R, Inokuchi H, Mizoguchi N, Takada A.
Br J Radiol. 2009 Aug;82(981):756-63. Epub 2009 Apr 14.

[A Dosimetric Analysis Comparing Treatment of Low-Risk Prostate Cancer With TomoTherapy Versus Static Field Intensity Modulated Radiation Therapy.](#)

Shah AP, Chen SS, Strauss JB, Kirk MC, Coleman JL, Coon AB, Miller C, Dickler A.
Am J Clin Oncol. 2009 Jun 26. [Epub ahead of print]

[A comparison of radiation treatment plans using IMRT with helical tomotherapy and 3D conformal radiotherapy for nasal natural killer/T-cell lymphoma.](#)

Tomita N, Kodaira T, Tachibana H, Nakamura T, Nakahara R, Inokuchi H, Mizoguchi N, Takada A.

Br J Radiol. 2009 Apr 14. [Epub ahead of print]

[On the performances of Intensity Modulated Protons, RapidArc and Helical Tomotherapy for selected paediatric cases.](#)

Fogliata A, Yartsev S, Nicolini G, Clivio A, Vanetti E, Wyttenbach R, Bauman G, Cozzi L.

Radiat Oncol. 2009 Jan 14;4(1):2. [Epub ahead of print]

[Single-Arc IMRT?](#)

Bortfeld T, Webb S.

Phys Med Biol. 2009 Jan 7;54(1):N9-20. Epub 2008 Dec 10.

[\[Radiotherapy for soft tissue sarcomas of extremities. Preliminary comparative dosimetric study of 3D conformal radiotherapy versus helical tomotherapy\]](#)

Donnay L, Dejean C, Amsellem E, Bourezgui H, de Figueiredo BH, Duparc A, Caron J, Tournat H, Lagarde P, Stoeckle E, Kantor G.

Cancer Radiother. 2008 Dec;12(8):809-16. Epub 2008 Nov 28. French

[Comparison of IMRT treatment plans between linac and helical tomotherapy based on integral dose and inhomogeneity index.](#)

Shi C, Peñagaricano J, Papanikolaou N.

Med Dosim. 2008 Autumn;33(3):215-21. Epub 2008 Apr 7.

[Intensity-modulated x-ray \(IMXT\) versus proton \(IMPT\) therapy for theragnostic hypoxia-based dose painting.](#)

Flynn RT, Bowen SR, Bentzen SM, Rockwell Mackie T, Jeraj R.

Phys Med Biol. 2008 Aug 7;53(15):4153-67. Epub 2008 Jul 17.

[The impact of linac output variations on dose distributions in helical tomotherapy.](#)

Flynn RT, Kissick MW, Mehta MP, Olivera GH, Jeraj R, Mackie TR.

Phys Med Biol. 2008 Jan 21;53(2):417-30. Epub 2007 Dec 28.

[Physics aspects of prostate tomotherapy: planning optimization and image-guidance issues.](#)

Fiorino C, Alongi F, Broggi S, Cattaneo GM, Cozzarini C, Di Muzio N, Maggiulli E, Mangili P, Perna L, Valdagni R, Fazio F, Calandrino R.
Acta Oncol. 2008;47(7):1309-16.

[Advances in intensity-modulated radiotherapy delivery.](#)

Fenwick JD, Riley SW, Scott AJ.
Cancer Treat Res. 2008;139:193-214. Review.

[Comparison of the 3D-conformal, helical tomotherapy and multileaf collimators-based intensity modulated radiotherapy modalities using radiobiological measures.](#)

Mavroidis P, Costa Ferreira B, Shi C, Lind BK, Papanikolaou N.
J BUON. 2008 Jan-Mar;13(1):75-86.

[A dosimetric comparison between two intensity-modulated radiotherapy techniques: tomotherapy vs dynamic linear accelerator.](#)

Whitelaw GL, Blasiak-Wal I, Cooke K, Usher C, Macdougall ND, Plowman PN.
Br J Radiol. 2008 Apr;81(964):333-40.

[Comparison of advanced irradiation techniques with photons for benign intracranial tumours.](#)

Cozzi L, Clivio A, Bauman G, Cora S, Nicolini G, Pellegrini R, Vanetti E, Yartsev S, Fogliata A.
Radiother Oncol. 2006 Aug;80(2):268-73. Epub 2006 Aug 4.

[Dosimetric study and in-vivo dose verification for conformal avoidance treatment of anal adenocarcinoma using helical tomotherapy.](#)

Han C, Chen YJ, Liu A, Schultheiss TE, Wong JY.
Med Dosim. 2007 Spring;32(1):33-7.

[Dosimetric comparisons of helical tomotherapy treatment plans and step-and-shoot intensity-modulated radiosurgery treatment plans in intracranial stereotactic radiosurgery.](#)

Han C, Liu A, Schultheiss TE, Pezner RD, Chen YJ, Wong JY.
Int J Radiat Oncol Biol Phys. 2006 Jun 1;65(2):608-16.

[Intensity-modulated radiation therapy \(IMRT\) dosimetry of the head and neck: a comparison of treatment plans using linear accelerator-based IMRT and helical tomotherapy.](#)

Sheng K, Molloy JA, Read PW.

Int J Radiat Oncol Biol Phys. 2006 Jul 1;65(3):917-23.

[Intensity-modulated radiotherapy \(IMRT\) for carcinoma of the maxillary sinus: a comparison of IMRT planning systems.](#)

Ahmed RS, Ove R, Duan J, Popple R, Cobb GB.

Med Dosim. 2006 Fall;31(3):224-32.

[A prospective evaluation of helical tomotherapy.](#)

Bauman G, Yartsev S, Rodrigues G, Lewis C, Venkatesan VM, Yu E, Hammond A, Perera F, Ash R, Dar AR, Lock M, Baily L, Coad T, Trenka K, Warr B, Kron T, Battista J, Van Dyk J.

Int J Radiat Oncol Biol Phys. 2007 Jun 1;68(2):632-41. Epub 2007 Feb 22.

[Significant improvement in normal tissue sparing and target coverage for head and neck cancer by means of helical tomotherapy.](#)

Fiorino C, Dell'Oca I, Pierelli A, Broggi S, De Martin E, Di Muzio N, Longobardi B, Fazio F, Calandrino R.

Radiother Oncol. 2006 Mar;78(3):276-82. Epub 2006 Mar 20.

Disease Site Specific

Bone

[Novel application of helical tomotherapy in whole skull palliative radiotherapy.](#)

Rodrigues G, Yartsev S, Coad T, Bauman G.

Med Dosim. 2008 Winter;33(4):282-5. Epub 2007 Sep 17.

Brain/ CNS

[Sparing of the Neural Stem Cell Compartment During Whole-Brain Radiation Therapy: A Dosimetric Study Using Helical Tomotherapy.](#)

Marsh JC, Godbole RH, Herskovic AM, Giolda BT, Turian JV.

Int J Radiat Oncol Biol Phys. 2010 May 14. [Epub ahead of print]

[Tomotherapy for neurofibromatosis Type 2: case report and review of the literature.](#)

Lee HH, Lian SL, Huang CJ, Huang MY.

Br J Radiol. 2010 Apr;83(988):e74-8.

[Case report. Fractionated Helical Tomotherapy as an alternative to radiosurgery in patients unwilling to undergo additional radiosurgery for recurrent brain metastases.](#)

Sanghera P, Lightstone AW, Hyde DE, Davey P.

Br J Radiol. 2010 Feb;83(986):e25-30.

High-precision radiotherapy for craniospinal irradiation: evaluation of three-dimensional conformal radiotherapy, intensity-modulated radiation therapy and helical TomoTherapy.

Sharma DS, Gupta T, Jalali R, Master Z, Phurailatpam RD, Sarin R.

[Pediatric craniospinal axis irradiation with helical tomotherapy: patient outcome and lack of acute pulmonary toxicity.](#)

Peñagaricano J, Moros E, Corry P, Saylor R, Ratanatharathorn V.

Int J Radiat Oncol Biol Phys. 2009 Nov 15;75(4):1155-61. Epub 2009 May 19. PMID: 19467796 [PubMed - indexed for MEDLINE] Related citations

Br J Radiol. 2009 Dec;82(984):1000-9. Epub 2009 Jul 6.

[Evaluation of MVCT protocols for brain and head and neck tumor patients treated with helical tomotherapy.](#)

Vaandering A, Lee JA, Renard L, Grégoire V.

Radiother Oncol. 2009 Jun 8. [Epub ahead of print]

[Pediatric Craniospinal Axis Irradiation with Helical Tomotherapy: Patient Outcome and Lack of Acute Pulmonary Toxicity.](#)

Peñagaricano J, Moros E, Corry P, Saylor R, Ratanatharathorn V.
Int J Radiat Oncol Biol Phys. 2009 May 19. [Epub ahead of print]

[Comparison of the helical tomotherapy and MLC-based IMRT radiation modalities in treating brain and cranio-spinal tumors.](#)

Mavroidis P, Ferreira BC, Shi C, Delichas MG, Lind BK, Papanikolaou N.
Technol Cancer Res Treat. 2009 Feb;8(1):3-14.

[Comparison of helical tomotherapy versus conventional radiation to deliver craniospinal radiation.](#)

Kunos CA, Dobbins DC, Kulasekere R, Latimer B, Kinsella TJ.
Technol Cancer Res Treat. 2008 Jun;7(3):227-33.

[Simultaneous integrated boost technique by helical tomotherapy for the treatment of glioblastoma multiforme with 11C-methionine PET: report of three cases.](#)

Miwa K, Matsuo M, Shinoda J, Oka N, Kato T, Okumura A, Ueda T, Yokoyama K, Yamada J, Yano H, Yoshimura S, Iwama T.
J Neurooncol. 2008 May;87(3):333-9. Epub 2008 Jan 24.

[Helical tomotherapy for craniospinal radiation.](#)

Bauman G, Yartsev S, Coad T, Fisher B, Kron T.
Br J Radiol. 2005 Jun;78(930):548-52.

[Feasibility of cranio-spinal axis radiation with the Hi-Art tomotherapy system.](#)

Peñagaricano JA, Papanikolaou N, Yan Y, Youssef E, Ratanatharathorn V.
Radiother Oncol. 2005 Jul;76(1):72-8.

Breast

[Simultaneous integrated boost in breast conserving treatment of breast cancer: a dosimetric comparison of helical tomotherapy and three-dimensional conformal radiotherapy.](#)

Hijal T, Fournier-Bidoz N, Castro-Pena P, Kirova YM, Zefkili S, Bollet MA, Dendale R, Campana F, Fourquet A.

Radiother Oncol. 2010 Mar;94(3):300-6. Epub 2010 Feb 18.

[Technique alternatives for breast radiation oncology: Conventional radiation therapy to tomotherapy.](#)

Fournier-Bidoz N, Kirova Y, Campana F, El Barouky J, Zefkili S, Dendale R, Bollet MA, Mazal A, Fourquet A.

J Med Phys. 2009 Jul;34(3):149-52. PMID: 20098562 [PubMed - in process] Free PMC Article Free text Related citations

[Tomotherapy and Multifield Intensity-Modulated Radiotherapy Planning Reduce Cardiac Doses in Left-Sided Breast Cancer Patients with Unfavorable Cardiac Anatomy.](#)

Coon AB, Dickler A, Kirk MC, Liao Y, Shah AP, Strauss JB, Chen S, Turian J, Griem KL.

Int J Radiat Oncol Biol Phys. . [Epub ahead of print]

[Feasibility of Postmastectomy Treatment With Helical Tomotherapy.](#)

Ashenafi M, Boyd RA, Lee TK, Lo KK, Gibbons JP, Rosen II, Fontenot JD, Hogstrom KR.

Int J Radiat Oncol Biol Phys. 2009 Oct 29. [Epub ahead of print]

[Adaptive radiation therapy in a patient with a massive nodal breast cancer recurrence.](#)

Trovò M, Drigo A, Dassie A, Abu Rumeileh I.

Tumori. 2009 Jul-Aug;95(4):550-2.

[Surface dose in the treatment of breast cancer with helical tomotherapy.](#)

Zibold F, Sterzing F, Sroka-Perez G, Schubert K, Wagenknecht K, Major G, Debus J, Herfarth K.

Strahlenther Onkol. 2009 Sep;185(9):574-81. Epub 2009 Sep 12.

[Dosimetric assessment of static and helical TomoTherapy in the clinical implementation of breast cancer treatments.](#) Reynders T, Tournel K, De Coninck P, Heymann S, Vinh-Hung V, Van Parijs H, Duchateau M, Linthout N, Gevaert T, Verellen D, Storme G.

Radiother Oncol. 2009 Oct;93(1):71-9. Epub 2009 Aug 12.

[Investigation of helical tomotherapy for partial-breast irradiation of prone-positioned patients.](#)

Kainz K, White J, Herman J, Li XA.

Int J Radiat Oncol Biol Phys. 2009 May 1;74(1):275-82.

[Early experience of tomotherapy-based intensity-modulated radiotherapy for breast cancer treatment.](#)

O'Donnell H, Cooke K, Walsh N, Plowman PN.

Clin Oncol (R Coll Radiol). 2009 May;21(4):294-301. Epub 2009 Feb 26.

[Helical tomotherapy planning for left-sided breast cancer patients with positive lymph nodes: comparison to conventional multiport breast technique.](#)

Goddu SM, Chaudhari S, Mamalui-Hunter M, Pechenaya OL, Pratt D, Mutic S, Zoberi I, Jeswani S, Powell SN, Low DA.

Int J Radiat Oncol Biol Phys. 2009 Mar 15;73(4):1243-51.

[Helical tomotherapy for locoregional irradiation including the internal mammary chain in left-sided breast cancer: dosimetric evaluation.](#)

Caudrelier JM, Morgan SC, Montgomery L, Lacelle M, Nyiri B, Macpherson M.

Radiother Oncol. 2009 Jan;90(1):99-105. Epub 2008 Nov 1.

[Hypofractionated breast and chest wall irradiation using simultaneous in-field boost IMRT delivered via helical tomotherapy.](#)

Rong Y, Fahner T, Welsh JS.

Technol Cancer Res Treat. 2008 Dec;7(6):433-9.

[Evaluation of coplanar partial left breast irradiation using tomotherapy-based tophoterapy.](#)

McIntosh A, Read PW, Khandelwal SR, Arthur DW, Turner AB, Ruchala KJ, Olivera GH, Jeswani S, Sheng K.

Int J Radiat Oncol Biol Phys. 2008 Jun 1;71(2):603-10.

[Respiratory motion effects on whole breast helical tomotherapy.](#)

Moeckly SR, Lamba M, Elson HR.

Med Phys. 2008 Apr;35(4):1464-75.

[Investigation of accelerated partial breast patient alignment and treatment with helical tomotherapy unit.](#)

Langen KM, Buchholz DJ, Burch DR, Burkavage R, Limaye AU, Meeks SL, Kupelian PA, Ruchala KJ, Haimerl J, Henderson D, Olivera GH.

Int J Radiat Oncol Biol Phys. 2008 Mar 15;70(4):1272-80. Epub 2008 Jan 22.

[Skin-sparing radiation using intensity-modulated radiotherapy after conservative surgery in early-stage breast cancer: a planning study.](#)

Saibishkumar EP, MacKenzie MA, Severin D, Mihai A, Hanson J, Daly H, Fallone G, Parliament MB, Abdulkarim BS.

Int J Radiat Oncol Biol Phys. 2008 Feb 1;70(2):485-91. Epub 2007 Sep 19.

[Evaluation of two tomotherapy-based techniques for the delivery of whole-breast intensity-modulated radiation therapy.](#)

Gonzalez VJ, Buchholz DJ, Langen KM, Olivera GH, Chauhan B, Meeks SL, Ruchala KJ, Haimerl J, Lu W, Kupelian PA.

Int J Radiat Oncol Biol Phys. 2006 May 1;65(1):284-90.

[Helical tomotherapy as a means of delivering accelerated partial breast irradiation.](#)

Hui SK, Das RK, Kapatoes J, Oliviera G, Becker S, Odau H, Fenwick JD, Patel R, Kuske R, Mehta M, Paliwal B, Mackie TR, Fowler JF, Welsh JS.

Technol Cancer Res Treat. 2004 Dec;3(6):639-46.

Gastrointestinal

[A treatment planning study comparing helical tomotherapy with intensity-modulated radiotherapy for the treatment of anal cancer.](#)

Joseph KJ, Syme A, Small C, Warkentin H, Quon H, Ghosh S, Field C, Pervez N, Tankel K, Patel S, Usmani N, Severin D, Nijjar T, Fallone G, Pedersen J.
Radiother Oncol. 2010 Jan;94(1):60-6. Epub 2009 Nov 4.

[Helical tomotherapy significantly reduces dose to normal tissues when compared to 3D-CRT for locally advanced rectal cancer.](#)

Jhaveri PM, Teh BS, Paulino AC, Smiedala MJ, Fahy B, Grant W, McGary J, Butler EB.
Technol Cancer Res Treat. 2009 Oct;8(5):379-85.

[Preoperative helical tomotherapy and megavoltage computed tomography for rectal cancer: impact on the irradiated volume of small bowel.](#)

Engels B, De Ridder M, Tournel K, Sermeus A, De Coninck P, Verellen D, Storme GA.
Int J Radiat Oncol Biol Phys. 2009 Aug 1;74(5):1476-80. Epub 2009 Feb 21.

[Preoperative Helical Tomotherapy and Megavoltage Computed Tomography for Rectal Cancer: Impact on the Irradiated Volume of Small Bowel.](#)

Engels B, De Ridder M, Tournel K, Sermeus A, De Coninck P, Verellen D, Storme GA.
Int J Radiat Oncol Biol Phys. 2009 Feb 19. [Epub ahead of print]

[Multimodality Treatment With Helical Tomotherapy Intensity Modulated Radiotherapy, Capecitabine, and Photodynamic Therapy is Feasible and Well Tolerated in Patients With Hilar Cholangiocarcinoma.](#) Baisden JM, Kahaleh M, Weiss GR, Sanfey H, Moskaluk CA, Yeaton P, de Lange EE, Rich TA.
Gastrointest Cancer Res. 2008 Sep;2(5):219-24.

[Phase II study of preoperative helical tomotherapy for rectal cancer.](#)

De Ridder M, Tournel K, Van Nieuwenhove Y, Engels B, Hoorens A, Everaert H, Op

de Beeck B, Vinh-Hung V, De Grève J, Delvaux G, Verellen D, Storme GA.
Int J Radiat Oncol Biol Phys. 2008 Mar 1;70(3):728-34. Epub 2007 Sep 27.

[Dosimetric study and in-vivo dose verification for conformal avoidance treatment of anal adenocarcinoma using helical tomotherapy.](#)

Han C, Chen YJ, Liu A, Schultheiss TE, Wong JY.
Med Dosim. 2007 Spring;32(1):33-7.

Gynecological

Three-dimensional image-based planning for cervix brachytherapy with bilateral hip prostheses: A solution using MVCT with helical tomotherapy.

Korol RM, Surry K, Davidson MT, Yartsev S, Rodrigues G, D'Souza DP.
Brachytherapy. 2010 Feb 26. [Epub ahead of print]

Whole pelvic helical tomotherapy for locally advanced cervical cancer: technical implementation of IMRT with helical tomotherapy.

Hsieh CH, Wei MC, Lee HY, Hsiao SM, Chen CA, Wang LY, Hsieh YP, Tsai TH, Chen YJ, Shueng PW.
Radiat Oncol. 2009 Dec 10;4:62.

Dosimetric comparison of postoperative whole pelvic radiotherapy for endometrial cancer using three-dimensional conformal radiotherapy, intensity-modulated radiotherapy, and helical tomotherapy.

Yang R, Xu S, Jiang W, Wang J, Xie C.
Acta Oncol. 2010;49(2):230-6.

Treatment planning of epithelial ovarian cancers using helical tomotherapy.

Swamidas VJ, Mahantshetty U, Vineeta G, Engineer R, Deshpande DD, Sarin R, Shrivastava SK.
J Appl Clin Med Phys. 2009 Oct 7;10(4):3003.

Dosimetric comparisons of three-dimensional conformal radiotherapy, intensity-modulated radiotherapy, and helical tomotherapy in whole abdominopelvic radiotherapy for gynecologic malignancy.

Kim YB, Kim JH, Jeong KK, Seong J, Suh CO, Kim GE.
Technol Cancer Res Treat. 2009 Oct;8(5):369-77.

Intensity-modulated whole abdominal radiotherapy after surgery and carboplatin/taxane chemotherapy for advanced ovarian cancer: phase I study.

Rochet N, Sterzing F, Jensen AD, Dinkel J, Herfarth KK, Schubert K, Eichbaum MH,

Schneeweiss A, Sohn C, Debus J, Harms W.

Int J Radiat Oncol Biol Phys. 2010 Apr;76(5):1382-9. Epub 2009 Jul 21.

[Megavoltage Computed Tomography Image-based Low-dose Rate Intracavitary Brachytherapy Planning for Cervical Carcinoma.](#)

Wagner TH, Langen KM, Meeks SL, Willoughby TR, Zeidan OA, Staton RJ, Shah AP, Manon RR, Kupelian PA.

Technol Cancer Res Treat. 2009 Apr;8(2):123-30.

[Assessment of extended-field radiotherapy for stage IIIC endometrial cancer using three-dimensional conformal radiotherapy, intensity-modulated radiotherapy, and helical tomotherapy.](#)

Lian J, Mackenzie M, Joseph K, Pervez N, Dundas G, Urtasun R, Pearcey R.

Int J Radiat Oncol Biol Phys. 2008 Mar 1;70(3):935-43. Epub 2007 Dec 31.

Head and Neck

Comparison of intensity-modulated radiotherapy using helical tomotherapy and segmental multileaf collimator-based techniques for nasopharyngeal carcinoma: dosimetric analysis incorporating quality assurance guidelines from RTOG 0225.

Chen AM, Lee NY, Yang CC, Liu T, Narayan S, Vijayakumar S, Purdy JA.
Technol Cancer Res Treat. 2010 Jun;9(3):291-8.

Comparative Analysis of an Image-Guided Versus a Non-Image-Guided Setup Approach in Terms of Delivered Dose to the Parotid Glands in Head-and-Neck Cancer IMRT.

Duma MN, Kampfer S, Wilkens JJ, Schuster T, Molls M, Geinitz H.
Int J Radiat Oncol Biol Phys. 2010 Mar 27. [Epub ahead of print]

Potential of Helical Tomotherapy to Reduce Dose to the Ocular Structures for Patients Treated for Unresectable Sinonasal Cancer.

Chen AM, Sreeraman R, Mathai M, Vijayakumar S, Purdy JA.
Am J Clin Oncol. 2010 May 3. [Epub ahead of print]

Dosimetric comparison of helical tomotherapy and linac-IMRT treatment plans for head and neck cancer patients.

Zhang X, Penagaricano J, Moros EG, Corry PM, Yan Y, Ratanatharathorn V.
Med Dosim. 2009 Sep 17. [Epub ahead of print]

Helical tomotherapy and larynx sparing in advanced oropharyngeal carcinoma: a dosimetric study.

Gielda BT, Millunchick CH, Smart JP, Marsh JC, Turian JV, Coleman JL.
Med Dosim. 2009 Jul 17. [Epub ahead of print]

Concurrent Chemoradiotherapy with Helical Tomotherapy for Oropharyngeal Cancer: A Preliminary Result.

Shueng PW, Wu LJ, Chen SY, Hsiao CH, Tien HJ, Cheng PW, Kuo YS, Chen YJ, Chen CA, Hsieh PY, Hsieh CH.
Int J Radiat Oncol Biol Phys. 2009 Oct 28. [Epub ahead of print]

[A comparison of treatment plans using linac-based intensity-modulated radiation therapy and helical tomotherapy for maxillary sinus carcinoma.](#)

Kim S, Lee IJ, Kim YB, Koom WS, Jeon BC, Lee CG, Kim GE, Keum KC.
Technol Cancer Res Treat. 2009 Aug;8(4):257-63.

[Initial clinical experience with helical tomotherapy for head and neck cancer.](#)

Chen AM, Jennelle RL, Sreeraman R, Yang CC, Liu T, Vijayakumar S, Purdy JA.
Head Neck. 2009 Dec;31(12):1571-8.

[A comparison of radiation treatment plans using IMRT with helical tomotherapy and 3D conformal radiotherapy for nasal natural killer/T-cell lymphoma.](#)

Tomita N, Kodaira T, Tachibana H, Nakamura T, Nakahara R, Inokuchi H, Mizoguchi N, Takada A.
Br J Radiol. 2009 Aug;82(981):756-63. Epub 2009 Apr 14.

[Initial clinical experience with helical tomotherapy for head and neck cancer.](#)

Chen AM, Jennelle RL, Sreeraman R, Yang CC, Liu T, Vijayakumar S, Purdy JA.
Head Neck. 2009 Apr 29. [Epub ahead of print]

[A comparison of radiation treatment plans using IMRT with helical tomotherapy and 3D conformal radiotherapy for nasal natural killer/T-cell lymphoma.](#)

Tomita N, Kodaira T, Tachibana H, Nakamura T, Nakahara R, Inokuchi H, Mizoguchi N, Takada A.
Br J Radiol. 2009 Apr 14. [Epub ahead of print]

[Aichi cancer center initial experience of intensity modulated radiation therapy for nasopharyngeal cancer using helical tomotherapy.](#)

Kodaira T, Tomita N, Tachibana H, Nakamura T, Nakahara R, Inokuchi H, Fuwa N.
Int J Radiat Oncol Biol Phys. 2009 Mar 15;73(4):1129-34. Epub 2008 Oct 14.

[Dosimetric comparisons of helical tomotherapy and step-and-shoot intensity-modulated radiotherapy in nasopharyngeal carcinoma.](#)

Lee TF, Fang FM, Chao PJ, Su TJ, Wang LK, Leung SW.
Radiother Oncol. 2008 Oct;89(1):89-96. Epub 2008 Jun 2.

[Assessment of parotid gland dose changes during head and neck cancer radiotherapy using daily megavoltage computed tomography and deformable image registration.](#)

Lee C, Langen KM, Lu W, Haimerl J, Schnarr E, Ruchala KJ, Olivera GH, Meeks SL, Kupelian PA, Shellenberger TD, Mañon RR.

Int J Radiat Oncol Biol Phys. 2008 Aug 1;71(5):1563-71. Epub 2008 Jun 4.

[Longitudinal assessment of parotid function in patients receiving tomotherapy for head-and-neck cancer.](#)

Voordeckers M, Everaert H, Tournel K, Verellen D, Baron I, Van Esch G, Vanhove C, Storme G.

Strahlenther Onkol. 2008 Aug;184(8):400-5.

[Actual dose variation of parotid glands and spinal cord for nasopharyngeal cancer patients during radiotherapy.](#)

Han C, Chen YJ, Liu A, Schultheiss TE, Wong JY.

Int J Radiat Oncol Biol Phys. 2008 Mar 15;70(4):1256-62. Epub 2008 Jan 30.

[Helical tomotherapy for parotid gland tumors.](#)

Lee TK, Rosen II, Gibbons JP, Fields RS, Hogstrom KR.

Int J Radiat Oncol Biol Phys. 2008 Mar 1;70(3):883-91. Epub 2007 Dec 31.

[Is daily CT image guidance necessary for nasal cavity and nasopharyngeal radiotherapy: an investigation based on helical tomotherapy.](#)

Sheng K, Chow MC, Hunter G, Lerner JM, Read PW.

J Appl Clin Med Phys. 2008 Jan 28;9(1):2686.

[Adenoid cystic carcinoma of trachea treated with adjuvant hypofractionated tomotherapy. Case report and literature review.](#)

Alongi F, Di Muzio N, Motta M, Broggi S, De Martin E, Bolognesi A, Cattaneo M, Calandrino R, Fazio F.

Tumori. 2008 Jan-Feb;94(1):121-5.

[Comparing step-and-shoot IMRT with dynamic helical tomotherapy IMRT plans for head-and-neck cancer.](#)

van Vulpen M, Field C, Raaijmakers CP, Parliament MB, Terhaard CH, MacKenzie

MA, Scrimger R, Lagendijk JJ, Fallone BG.
Int J Radiat Oncol Biol Phys. 2005 Aug 1;62(5):1535-9.

[A dosimetric comparison of non-coplanar IMRT versus Helical Tomotherapy for nasal cavity and paranasal sinus cancer.](#)

Sheng K, Molloy JA, Larner JM, Read PW.
Radiother Oncol. 2007 Feb;82(2):174-8. Epub 2007 Jan 31.

[Evaluation of image-guidance protocols in the treatment of head and neck cancers.](#)

Zeidan OA, Langen KM, Meeks SL, Manon RR, Wagner TH, Willoughby TR, Jenkins DW, Kupelian PA.
Int J Radiat Oncol Biol Phys. 2007 Mar 1;67(3):670-7. Epub 2006 Dec 29.

[Intensity-modulated radiation therapy \(IMRT\) dosimetry of the head and neck: a comparison of treatment plans using linear accelerator-based IMRT and helical tomotherapy.](#)

Sheng K, Molloy JA, Read PW.
Int J Radiat Oncol Biol Phys. 2006 Jul 1;65(3):917-23.

[Intensity-modulated radiotherapy \(IMRT\) for carcinoma of the maxillary sinus: a comparison of IMRT planning systems.](#)

Ahmed RS, Ove R, Duan J, Popple R, Cobb GB.
Med Dosim. 2006 Fall;31(3):224-32.

[Significant improvement in normal tissue sparing and target coverage for head and neck cancer by means of helical tomotherapy.](#)

Fiorino C, Dell'Oca I, Pierelli A, Broggi S, De Martin E, Di Muzio N, Longobardi B, Fazio F, Calandrino R.
Radiother Oncol. 2006 Mar;78(3):276-82. Epub 2006 Mar 20.

Kidney

Successful treatment of primary renal lymphoma using image guided helical tomotherapy.

Renaud J, Yartsev S, Dar AR, Van Dyk J.

Can J Urol. 2009 Jun;16(3):4639-47.

Liver

[Accelerated treatment using intensity-modulated radiation therapy plus concurrent capecitabine for unresectable hepatocellular carcinoma.](#)

McIntosh A, Hagspiel KD, Al-Osaimi AM, Northup P, Caldwell S, Berg C, Angle JF, Argo C, Weiss G, Rich TA.

Cancer. 2009 Nov 1;115(21):5117-25.

[Simultaneous multitarget irradiation using helical tomotherapy for advanced hepatocellular carcinoma with multiple extrahepatic metastases.](#)

Jang JW, Kay CS, You CR, Kim CW, Bae SH, Choi JY, Yoon SK, Han CW, Jung HS, Choi IB.

Int J Radiat Oncol Biol Phys. 2009 Jun 1;74(2):412-8. Epub 2008 Oct 27.

[Simultaneous Multitarget Irradiation Using Helical Tomotherapy for Advanced Hepatocellular Carcinoma with Multiple Extrahepatic Metastases.](#)Jang JW, Kay CS, You CR, Kim CW, Bae SH, Choi JY, Yoon SK, Han CW, Jung HS, Choi IB.

Int J Radiat Oncol Biol Phys. 2008 Oct 27. [Epub ahead of print]

Lung

[Clinical evaluation of an immobilization system for stereotactic body radiotherapy using helical tomotherapy.](#) Gutiérrez AN, Stathakis S, Crownover R, Esquivel C, Shi C, Papanikolaou N.
Med Dosim. 2010 Apr 30. [Epub ahead of print]

[Toxicity and Outcome Results of a Class Solution with Moderately Hypofractionated Radiotherapy in Inoperable Stage III Non-Small Cell Lung Cancer Using Helical Tomotherapy.](#)
Bral S, Duchateau M, Versmessen H, Engels B, Tournel K, Vinh-Hung V, De Ridder M, Schallier D, Storme G.
Int J Radiat Oncol Biol Phys. 2010 Jan 5. [Epub ahead of print]

[On the use of hyperpolarized helium mri for conformal avoidance lung radiotherapy.](#)
Hodge CW, Tomé WA, Fain SB, Bentzen SM, Mehta MP.
Med Dosim. 2009 Oct 30. [Epub ahead of print]

[Image-guided stereotactic body radiotherapy for lung tumors using BodyLoc with tomotherapy: clinical implementation and set-up accuracy.](#)
Zhou J, Uhl B, Dewitt K, Young M, Taylor B, Fei DY, Lo YC.
Med Dosim. 2010 Spring;35(1):12-8. Epub 2009 Jan 30.

[Toxicity report of a phase 1/2 dose-escalation study in patients with inoperable, locally advanced nonsmall cell lung cancer with helical tomotherapy and concurrent chemotherapy.](#)
Bral S, Duchateau M, Versmessen H, Verdries D, Engels B, Ridder MD, Tournel K, Collen C, Everaert H, Schallier D, De Greve J, Storme G.
Cancer. 2010 Jan 1;116(1):241-50.

[Adaptive radiation therapy for localized mesothelioma with mediastinal metastasis using helical tomotherapy.](#)
Renaud J, Yartsev S, Dar AR, Van Dyk J.
Med Dosim. 2009 Fall;34(3):233-42. Epub 2008 Nov 24.

[Helical tomotherapy for simultaneous multitarget radiotherapy for pulmonary metastasis.](#)

Kim JY, Kay CS, Kim YS, Jang JW, Bae SH, Choi JY, Yoon SK, Kim KJ.
Int J Radiat Oncol Biol Phys. 2009 Nov 1;75(3):703-10. Epub 2009 May 4.

[Solitary plasmocytoma: improvement in critical organs sparing by means of helical tomotherapy.](#)

Chargari C, Kirova YM, Zefkili S, Caussa L, Amessis M, Dendale R, Campana F, Fourquet A.
Eur J Haematol. 2009 Mar 5. [Epub ahead of print]

[Dose escalated, hypofractionated radiotherapy using helical tomotherapy for inoperable non-small cell lung cancer: preliminary results of a risk-stratified phase I dose escalation study.](#)

Adkison JB, Khuntia D, Bentzen SM, Cannon GM, Tome WA, Jaradat H, Walker W, Traynor AM, Weigel T, Mehta MP.
Technol Cancer Res Treat. 2008 Dec;7(6):441-7.

[Treatment planning comparison between conformal radiotherapy and helical tomotherapy in the case of locally advanced-stage NSCLC.](#)

Cattaneo GM, Dell'oca I, Broggi S, Fiorino C, Perna L, Pasetti M, Sangalli G, di Muzio N, Fazio F, Calandrino R.
Radiother Oncol. 2008 Sep;88(3):310-8. Epub 2008 Aug 7.

[Evaluating target coverage and normal tissue sparing in the adjuvant radiotherapy of malignant pleural mesothelioma: helical tomotherapy compared with step-and-shoot IMRT.](#)

Sterzing F, Sroka-Perez G, Schubert K, Münter MW, Thieke C, Huber P, Debus J, Herfarth KK.
Radiother Oncol. 2008 Feb;86(2):251-7. Epub 2008 Jan 18.

[Feasibility report of image guided stereotactic body radiotherapy \(IG-SBRT\) with tomotherapy for early stage medically inoperable lung cancer using extreme hypofractionation.](#)

Hodge W, Tomé WA, Jaradat HA, Orton NP, Khuntia D, Traynor A, Weigel T, Mehta

MP.

Acta Oncol. 2006;45(7):890-6.

[A new approach to dose escalation in non-small-cell lung cancer.](#)

Mehta M, Scrimger R, Mackie R, Paliwal B, Chappell R, Fowler J.

Int J Radiat Oncol Biol Phys. 2001 Jan 1;49(1):23-33.

[Planning evaluation of radiotherapy for complex lung cancer cases using helical tomotherapy.](#)

Kron T, Grigorov G, Yu E, Yartsev S, Chen JZ, Wong E, Rodrigues G, Trenka K, Coad T, Bauman G, Van Dyk J.

Phys Med Biol. 2004 Aug 21;49(16):3675-90.

[Reduction in radiation dose to lung and other normal tissues using helical tomotherapy to treat lung cancer, in comparison to conventional field arrangements.](#)

Scrimger RA, Tomé WA, Olivera GH, Reckwerdt PJ, Mehta MP, Fowler JF.

Am J Clin Oncol. 2003 Feb;26(1):70-8.

[A technique for adaptive image-guided helical tomotherapy for lung cancer.](#)

Ramsey CR, Langen KM, Kupelian PA, Scaperoth DD, Meeks SL, Mahan SL, Seibert RM.

Int J Radiat Oncol Biol Phys. 2006 Mar 15;64(4):1237-44. Epub 2006 Jan 30.

Metastases

[Helical tomotherapy for simultaneous multitarget radiotherapy for pulmonary metastasis.](#)

Kim JY, Kay CS, Kim YS, Jang JW, Bae SH, Choi JY, Yoon SK, Kim KJ.
Int J Radiat Oncol Biol Phys. 2009 Nov 1;75(3):703-10. Epub 2009 May 4.

[Improve the management of patients with skull bone metastases by means of helical tomotherapy.](#)

Chargari C, Kirova YM, Zefkili S, Campana F.
Support Care Cancer. 2009 Jun;17(6):613-5. Epub 2009 Mar 17. No abstract available.

[Stereotactic Radiosurgery for Spinal Metastases: Case Report and Review Of Treatment Options.](#)

Chawla S, Abu-Aita R, Philip A, Lundquist T, Okunieff P, Milano MT.
Bone. 2009 Jun 17. [Epub ahead of print]

[Helical Tomotherapy for Simultaneous Multitarget Radiotherapy for Pulmonary Metastasis.](#)

Kim JY, Kay CS, Kim YS, Jang JW, Bae SH, Choi JY, Yoon SK, Kim KJ.
Int J Radiat Oncol Biol Phys. 2009 May 4. [Epub ahead of print]

[Early clinical experience and outcome of helical tomotherapy for multiple metastatic lesions.](#)

Lee IJ, Seong J, Lee CG, Kim YB, Keum KC, Suh CO, Kim GE, Cho J.
Int J Radiat Oncol Biol Phys. 2009 Apr 1;73(5):1517-24. Epub 2008 Dec 10.

[Reirradiation of multiple brain metastases with helical tomotherapy : A multifocal simultaneous integrated boost for eight or more lesions.](#)

Sterzing F, Welzel T, Sroka-Perez G, Schubert K, Debus J, Herfarth KK.
Strahlenther Onkol. 2009 Feb;185(2):89-93. Epub 2009 Feb 25.

Planning and delivery of whole brain radiation therapy with simultaneous integrated boost to brain metastases and synchronous limited-field thoracic radiotherapy using helical tomotherapy: a preliminary experience.

Gupta T, Basu A, Master Z, Jalali R, Munshi A, Sarin R.

Technol Cancer Res Treat. 2009 Feb;8(1):15-22.

Helical tomotherapy for brain metastases: dosimetric evaluation of treatment plans and early clinical results.

Tomita N, Kodaira T, Tachibana H, Nakamura T, Nakahara R, Inokuchi H, Shibamoto Y.

Technol Cancer Res Treat. 2008 Dec;7(6):417-24.

Pancreas

[Preliminary experience of helical tomotherapy for locally advanced pancreatic cancer.](#)
Chargari C, Campana F, Beuzeboc P, Zefkili S, Kirova YM.
World J Gastroenterol. 2009 Sep 21;15(35):4444-5

Pediatric

[Standard and Nonstandard Craniospinal Radiotherapy Using Helical Tomotherapy.](#)

Parker W, Brodeur M, Roberge D, Freeman C.

Int J Radiat Oncol Biol Phys. 2010 Mar 13. [Epub ahead of print]

[Pediatric craniospinal axis irradiation with helical tomotherapy: patient outcome and lack of acute pulmonary toxicity.](#)

Peñagaricano J, Moros E, Corry P, Saylor R, Ratanatharathorn V.

Int J Radiat Oncol Biol Phys. 2009 Nov 15;75(4):1155-61. Epub 2009 May 19.

[Indications for tomotherapy/intensity-modulated radiation therapy in paediatric radiotherapy: extracranial disease.](#)

Plowman PN, Cooke K, Walsh N.

Br J Radiol. 2008 Nov;81(971):872-80.

Prostate

[IMRT significantly reduces acute toxicity of whole-pelvis irradiation in patients treated with post-operative adjuvant or salvage radiotherapy after radical prostatectomy.](#)

Alongi F, Fiorino C, Cozzarini C, Broggi S, Perna L, Cattaneo GM, Calandrino R, Di Muzio N.

Radiother Oncol. 2009 Nov;93(2):207-12. Epub 2009 Sep 18.

[Helical tomotherapy with simultaneous integrated boost for high-risk and lymph node-positive prostate cancer: early report on acute and late toxicity.](#)

Engels B, Soete G, Tournel K, Bral S, De Coninck P, Verellen D, Storme G.

Technol Cancer Res Treat. 2009 Oct;8(5):353-59.

[A Dosimetric Analysis Comparing Treatment of Low-Risk Prostate Cancer With TomoTherapy Versus Static Field Intensity Modulated Radiation Therapy.](#)

Shah AP, Chen SS, Strauss JB, Kirk MC, Coleman JL, Coon AB, Miller C, Dickler A.

Am J Clin Oncol. 2009 Jun 26. [Epub ahead of print]

[Dose-volume relationships for acute bowel toxicity in patients treated with pelvic nodal irradiation for prostate cancer.](#)

Fiorino C, Alongi F, Perna L, Broggi S, Cattaneo GM, Cozzarini C, Di Muzio N, Fazio F, Calandrino R.

Int J Radiat Oncol Biol Phys. 2009 Sep 1;75(1):29-35. Epub 2009 May 19.

[Sparing the penile bulb in the radical irradiation of clinically localised prostate carcinoma: A comparison between MRI and CT prostatic apex definition in 3DCRT, Linac-IMRT and Helical Tomotherapy.](#)

Perna L, Fiorino C, Cozzarini C, Broggi S, Cattaneo GM, De Cobelli F, Mangili P, Di Muzio N, Calandrino R.

Radiother Oncol. 2009 Oct;93(1):57-63. Epub 2009 May 4.

[Acute toxicity in high-risk prostate cancer patients treated with androgen suppression and hypofractionated intensity-modulated radiotherapy.](#)

Pervez N, Small C, MacKenzie M, Yee D, Parliament M, Ghosh S, Mihai A, Amanie

J, Murtha A, Field C, Murray D, Fallone G, Pearcey R.
Int J Radiat Oncol Biol Phys. 2010 Jan 1;76(1):57-64. Epub .

[Phase I-II study of hypofractionated simultaneous integrated boost with tomotherapy for prostate cancer.](#)

Di Muzio N, Fiorino C, Cozzarini C, Alongi F, Broggi S, Mangili P, Guazzoni G, Valdagni R, Calandrino R, Fazio F.
Int J Radiat Oncol Biol Phys. 2009 Jun 1;74(2):392-8. Epub 2008 Dec 4.

[Dosimetric effect of prostate motion during helical tomotherapy.](#)

Langen KM, Lu W, Willoughby TR, Chauhan B, Meeks SL, Kupelian PA, Olivera G.
Int J Radiat Oncol Biol Phys. 2009 Jul 15;74(4):1134-42. Epub 2009 Feb 21.

[A Dosimetric Analysis Comparing Treatment of Low-Risk Prostate Cancer With TomoTherapy Versus Static Field Intensity Modulated Radiation Therapy.](#)

Shah AP, Chen SS, Strauss JB, Kirk MC, Coleman JL, Coon AB, Miller C, Dickler A.
Am J Clin Oncol. 2009 Jun 26. [Epub ahead of print]

[Dose-Volume Relationships for Acute Bowel Toxicity in Patients Treated With Pelvic Nodal Irradiation for Prostate Cancer.](#)

Fiorino C, Alongi F, Perna L, Broggi S, Cattaneo GM, Cozzarini C, Di Muzio N, Fazio F, Calandrino R.
Int J Radiat Oncol Biol Phys. 2009 May 19. [Epub ahead of print]

[Schedule for CT image guidance in treating prostate cancer with helical tomotherapy.](#)

Beldjoudi G, Yartsev S, Bauman G, Battista J, VAN Dyk J.
Br J Radiol. 2009 Jun 8. [Epub ahead of print]

[Acute Toxicity in High-Risk Prostate Cancer Patients Treated with Androgen Suppression and Hypofractionated Intensity-Modulated Radiotherapy.](#)

Pervez N, Small C, Mackenzie M, Yee D, Parliament M, Ghosh S, Mihai A, Amanie J, Murtha A, Field C, Murray D, Fallone G, Pearcey R.
Int J Radiat Oncol Biol Phys. 2009 Apr 21. [Epub ahead of print]

[Phase I-II Study of Hypofractionated Simultaneous Integrated Boost with Tomotherapy for Prostate Cancer.](#)

Di Muzio N, Fiorino C, Cozzarini C, Alongi F, Broggi S, Mangili P, Guazzoni G, Valdagni R, Calandrino R, Fazio F.

Int J Radiat Oncol Biol Phys. 2008 Dec 2. [Epub ahead of print]

[Hypofractionated adjuvant radiotherapy with helical tomotherapy after radical prostatectomy: planning data and toxicity results of a Phase I-II study.](#)

Cozzarini C, Fiorino C, Di Muzio N, Valdagni R, Salonia A, Alongi F, Broggi S, Guazzoni G, Montorsi F, Rigatti P, Calandrino R, Fazio F.

Radiother Oncol. 2008 Jul;88(1):26-33. Epub 2008 Apr 30.

[Dose-volume and biological-model based comparison between helical tomotherapy and \(inverse-planned\) IMAT for prostate tumours.](#)

Iori M, Cattaneo GM, Cagni E, Fiorino C, Borasi G, Riccardo C, Iotti C, Fazio F, Nahum AE.

Radiother Oncol. 2008 Jul;88(1):34-45. Epub 2008 Apr 7.

[Evidence of limited motion of the prostate by carefully emptying the rectum as assessed by daily MVCT image guidance with helical tomotherapy.](#)

Fiorino C, Di Muzio N, Broggi S, Cozzarini C, Maggiulli E, Alongi F, Valdagni R, Fazio F, Calandrino R.

Int J Radiat Oncol Biol Phys. 2008 Jun 1;71(2):611-7. Epub 2008 Apr 18.

[Acute toxicity in definitive versus postprostatectomy image-guided radiotherapy for prostate cancer.](#)

Cheng JC, Schultheiss TE, Nguyen KH, Wong JY.

Int J Radiat Oncol Biol Phys. 2008 Jun 1;71(2):351-7. Epub 2007 Dec 31.

[A comparison of prostate IMRT and helical tomotherapy class solutions.](#)

Rodrigues G, Yartsev S, Chen J, Wong E, D'Souza D, Lock M, Bauman G, Grigorov G, Kron T.

Radiother Oncol. 2006 Sep;80(3):374-7. Epub 2006 Aug 1.

[Daily variations in the position of the prostate bed in patients with prostate cancer receiving postoperative external beam radiation therapy.](#)

Kupelian PA, Langen KM, Willoughby TR, Wagner TH, Zeidan OA, Meeks SL.

Int J Radiat Oncol Biol Phys. 2006 Oct 1;66(2):593-6.

[Initial experience with megavoltage \(MV\) CT guidance for daily prostate alignments.](#)

Langen KM, Zhang Y, Andrews RD, Hurley ME, Meeks SL, Poole DO, Willoughby TR, Kupelian PA.

Int J Radiat Oncol Biol Phys. 2005 Aug 1;62(5):1517-24.

[Optimization of helical tomotherapy treatment plans for prostate cancer.](#)

Grigorov G, Kron T, Wong E, Chen J, Sollazzo J, Rodrigues G.

Phys Med Biol. 2003 Jul 7;48(13):1933-43.

[Pelvic nodal dose escalation with prostate hypofractionation using conformal avoidance defined \(H-CAD\) intensity modulated radiation therapy.](#)

Hong TS, Tomé WA, Jaradat H, Raisbeck BM, Ritter MA.

Acta Oncol. 2006;45(6):717-27.

[Radiosurgery in the treatment of spinal metastases: tumor control, survival, and quality of life after helical tomotherapy.](#)

Sheehan JP, Shaffrey CI, Schlesinger D, Williams BJ, Arlet V, Lerner J.
Neurosurgery. 2009 Dec;65(6):1052-61; discussion 1061-2. Review.

[Stereotactic radiosurgery for spinal metastases: case report and review of treatment options.](#)

Chawla S, Abu-Aita R, Philip A, Lundquist T, Okunieff P, Milano MT.
Bone. 2009 Oct;45(4):817-21. Epub 2009 Jun 18.

Total Body/ Marrow/ Lymph

Helical tomotherapy in the radiotherapy treatment of Hodgkin's disease - a feasibility study.

Vlachaki MT, Kumar S.

J Appl Clin Med Phys. 2010 Jan 28;11(1):3042.

Dosimetric study and verification of total body irradiation using helical tomotherapy and its comparison to extended SSD technique.

Zhuang AH, Liu A, Schultheiss TE, Wong JY.

Med Dosim. 2009 Sep 16. [Epub ahead of print]

Successful treatment of primary renal lymphoma using image guided helical tomotherapy.

Renaud J, Yartsev S, Dar AR, Van Dyk J.

Can J Urol. 2009 Jun;16(3):4639-47.

A comparison of radiation treatment plans using IMRT with helical tomotherapy and 3D conformal radiotherapy for nasal natural killer/T-cell lymphoma.

Tomita N, Kodaira T, Tachibana H, Nakamura T, Nakahara R, Inokuchi H, Mizoguchi N, Takada A.

Br J Radiol. 2009 Aug;82(981):756-63. Epub 2009 Apr 14.

Feasibility study of helical tomotherapy for total body or total marrow irradiation.

Hui SK, Kapatoes J, Fowler J, Henderson D, Olivera G, Manon RR, Gerbi B, Mackie TR, Welsh JS.

Med Phys. 2005 Oct;32(10):3214-24.

Targeted total marrow irradiation using three-dimensional image-guided tomographic intensity-modulated radiation therapy: an alternative to standard total body irradiation.

Wong JY, Liu A, Schultheiss T, Popplewell L, Stein A, Rosenthal J, Essensten M, Forman S, Somlo G.

Biol Blood Marrow Transplant. 2006 Mar;12(3):306-15.

Stereotactic (All dates)

[Clinical evaluation of an immobilization system for stereotactic body radiotherapy using helical tomotherapy.](#)

Gutiérrez AN, Stathakis S, Crownover R, Esquivel C, Shi C, Papanikolaou N.
Med Dosim. 2010 Apr 30. [Epub ahead of print]

[Tomotherapy for neurofibromatosis Type 2: case report and review of the literature.](#)

Lee HH, Lian SL, Huang CJ, Huang MY.
Br J Radiol. 2010 Apr;83(988):e74-8.

[Case report. Fractionated Helical Tomotherapy as an alternative to radiosurgery in patients unwilling to undergo additional radiosurgery for recurrent brain metastases.](#)

Sanghera P, Lightstone AW, Hyde DE, Davey P.
Br J Radiol. 2010 Feb;83(986):e25-30.

[A technique for stereotactic radiosurgery treatment planning with helical tomotherapy.](#)

Soisson ET, Hoban PW, Kammeyer T, Kapatoes JM, Westerly DC, Basavatia A, Tomé WA.
Med Dosim. 2010 Feb 4. [Epub ahead of print]

[Image-guided stereotactic body radiotherapy for lung tumors using BodyLoc with tomotherapy: clinical implementation and set-up accuracy.](#)

Zhou J, Uhl B, Dewitt K, Young M, Taylor B, Fei DY, Lo YC.
Med Dosim. 2010 Spring;35(1):12-8. Epub 2009 Jan 30.

[Stereotactic radiosurgery for spinal metastases: case report and review of treatment options.](#)

Chawla S, Abu-Aita R, Philip A, Lundquist T, Okunieff P, Milano MT.
Bone. 2009 Oct;45(4):817-21. Epub 2009 Jun 18. Review.

[Helical tomotherapy for simultaneous multitarget radiotherapy for pulmonary metastasis.](#)

Kim JY, Kay CS, Kim YS, Jang JW, Bae SH, Choi JY, Yoon SK, Kim KJ.
Int J Radiat Oncol Biol Phys. 2009 Nov 1;75(3):703-10. Epub 2009 May 4.

[Stereotactic radiosurgery for spinal metastases: case report and review of treatment options.](#)

Chawla S, Abu-Aita R, Philip A, Lundquist T, Okunieff P, Milano MT.
Bone. 2009 Oct;45(4):817-21. Epub 2009 Jun 18

[Simultaneous multitarget irradiation using helical tomotherapy for advanced hepatocellular carcinoma with multiple extrahepatic metastases.](#)

Jang JW, Kay CS, You CR, Kim CW, Bae SH, Choi JY, Yoon SK, Han CW, Jung HS, Choi IB.
Int J Radiat Oncol Biol Phys. 2009 Jun 1;74(2):412-8. Epub 2008 Oct 27.

[Early clinical experience and outcome of helical tomotherapy for multiple metastatic lesions.](#)

Lee IJ, Seong J, Lee CG, Kim YB, Keum KC, Suh CO, Kim GE, Cho J.
Int J Radiat Oncol Biol Phys. 2009 Apr 1;73(5):1517-24. Epub 2008 Dec 10.

[Resection followed by stereotactic radiosurgery to resection cavity for intracranial metastases.](#)

Do L, Pezner R, Radany E, Liu A, Staud C, Badie B.
Int J Radiat Oncol Biol Phys. 2009 Feb 1;73(2):486-91. Epub 2008 Oct 14.

[Quality assurance of an image guided intracranial stereotactic positioning system.](#)

Soisson ET, Sobering G, Lucas D, Chao E, Olivera G, Tomé WA.
Technol Cancer Res Treat. 2009 Feb;8(1):39-49.

[Reirradiation of multiple brain metastases with helical tomotherapy. A multifocal simultaneous integrated boost for eight or more lesions.](#)

Sterzing F, Welzel T, Sroka-Perez G, Schubert K, Debus J, Herfarth KK.
Strahlenther Onkol. 2009 Feb;185(2):89-93. Epub 2009 Feb 25.

[Planning and delivery of whole brain radiation therapy with simultaneous integrated boost to brain metastases and synchronous limited-field thoracic radiotherapy using helical tomotherapy: a preliminary experience.](#)

Gupta T, Basu A, Master Z, Jalali R, Munshi A, Sarin R.
Technol Cancer Res Treat. 2009 Feb;8(1):15-22.

[Helical tomotherapy for brain metastases: dosimetric evaluation of treatment plans and early clinical results.](#)

Tomita N, Kodaira T, Tachibana H, Nakamura T, Nakahara R, Inokuchi H, Shibamoto Y.
Technol Cancer Res Treat. 2008 Dec;7(6):417-24.

[Stereotactic image-guided intensity modulated radiotherapy using the HI-ART II helical tomotherapy system.](#)

Holmes TW, Hudes R, Dziuba S, Kazi A, Hall M, Dawson D.
Med Dosim. 2008 Summer;33(2):135-48. Epub 2008 Apr 1.

[Image-guided helical Tomotherapy for treatment of spine tumors.](#)

Kim B, Soisson ET, Duma C, Chen P, Hafer R, Cox C, Cubellis J, Minion A, Plunkett M, Mackintosh R.
Clin Neurol Neurosurg. 2008 Apr;110(4):357-62. Epub 2008 Mar 4.

[Helical tomotherapy. Experiences of the first 150 patients in Heidelberg.](#)

Sterzing F, Schubert K, Sroka-Perez G, Kalz J, Debus J, Herfarth K.
Strahlenther Onkol. 2008 Jan;184(1):8-14.

[Whole brain radiotherapy with hippocampal avoidance and simultaneously integrated brain metastases boost: a planning study.](#)

Gutiérrez AN, Westerly DC, Tomé WA, Jaradat HA, Mackie TR, Bentzen SM, Khuntia D, Mehta MP.
Int J Radiat Oncol Biol Phys. 2007 Oct 1;69(2):589-97.

[Optimization of megavoltage CT scan registration settings for thoracic cases on helical tomotherapy.](#)

Woodford C, Yartsev S, Van Dyk J.
Phys Med Biol. 2007 Aug 7;52(15):N345-54. Epub 2007 Jul 3.

[Dose as a function of lung volume and planned treatment volume in helical tomotherapy intensity-modulated radiation therapy-based stereotactic body radiation](#)

[therapy for small lung tumors.](#)

Baisden JM, Romney DA, Reish AG, Cai J, Sheng K, Jones DR, Benedict SH, Read PW, Larner JM.

Int J Radiat Oncol Biol Phys. 2007 Jul 15;68(4):1229-37. Epub 2007 May 21.

[Helical TomoTherapy in the treatment of central nervous system metastasis.](#)

Baisden JM, Benedict SH, Sheng K, Read PW, Larner JM.

Neurosurg Focus. 2007 Mar 15;22(3)

[Simultaneous infield boost with helical tomotherapy for patients with 1 to 3 brain metastases.](#)

Bauman G, Yartsev S, Fisher B, Kron T, Laperriere N, Heydari M, VanDyk J.

Am J Clin Oncol. 2007 Feb;30(1):38-44.

[A motion phantom study on helical tomotherapy: the dosimetric impacts of delivery technique and motion.](#)

Kanagaki B, Read PW, Molloy JA, Larner JM, Sheng K.

Phys Med Biol. 2007 Jan 7;52(1):243-55. Epub 2006 Dec 18.

[Dose as a function of liver volume and planning target volume in helical tomotherapy, intensity-modulated radiation therapy-based stereotactic body radiation therapy for hepatic metastasis.](#)

Baisden JM, Reish AG, Sheng K, Larner JM, Kavanagh BD, Read PW.

Int J Radiat Oncol Biol Phys. 2006 Oct 1;66(2):620-5. Epub 2006 Aug 14.

[Dosimetric comparison of helical tomotherapy and Gamma Knife stereotactic radiosurgery for single brain metastasis.](#)

Peñagaricano JA, Yan Y, Shi C, Linskey ME, Ratanatharathorn V.

Radiat Oncol. 2006 Aug 3;1:26.

[Comparison of advanced irradiation techniques with photons for benign intracranial tumours.](#)

Cozzi L, Clivio A, Bauman G, Cora S, Nicolini G, Pellegrini R, Vanetti E, Yartsev S, Fogliata A.

Radiother Oncol. 2006 Aug;80(2):268-73. Epub 2006 Aug 4.

Dosimetric comparisons of helical tomotherapy treatment plans and step-and-shoot intensity-modulated radiosurgery treatment plans in intracranial stereotactic radiosurgery.

Han C, Liu A, Schultheiss TE, Pezner RD, Chen YJ, Wong JY.

Int J Radiat Oncol Biol Phys. 2006 Jun 1;65(2):608-16.

Feasibility report of image guided stereotactic body radiotherapy (IG-SBRT) with tomotherapy for early stage medically inoperable lung cancer using extreme hypofractionation.

Hodge W, Tomé WA, Jaradat HA, Orton NP, Khuntia D, Traynor A, Weigel T, Mehta MP.

Acta Oncol. 2006;45(7):890-6.

Evaluation of image-guided helical tomotherapy for the retreatment of spinal metastasis.

Mahan SL, Ramsey CR, Scaperoth DD, Chase DJ, Byrne TE.

Int J Radiat Oncol Biol Phys. 2005 Dec 1;63(5):1576-83. Epub 2005 Aug 26.

Tomotherapy planning of small brain tumours.

Yartsev S, Kron T, Cozzi L, Fogliata A, Bauman G.

Radiother Oncol. 2005 Jan;74(1):49-52.

Other

[Helical tomotherapy for scalp recurrence of primary eccrine mucinous adenocarcinoma.](#)

Motta M, Alongi F, De Martin E, Fiorino C, Maggiulli E, Rigoni L, Landoni C, Broggi S, Deli AM, Calandrino R, Di Muzio N.
Tumori. 2009 Nov-Dec;95(6):832-5.

[Solitary plasmocytoma: improvement in critical organs sparing by means of helical tomotherapy.](#)

Chargari C, Kirova YM, Zefkili S, Causa L, Amessis M, Dendale R, Campana F, Fourquet A.
Eur J Haematol. 2009 Jul;83(1):66-71. Epub 2009 Mar 5.

[Dosimetric comparison of helical tomotherapy treatment and step-and-shoot intensity-modulated radiotherapy of retroperitoneal sarcoma.](#)

Pezner RD, Liu A, Han C, Chen YJ, Schultheiss TE, Wong JY.
Radiother Oncol. 2006 Oct;81(1):81-7. Epub 2006 Sep 26.

[Total scalp irradiation using helical tomotherapy.](#)

Orton N, Jaradat H, Welsh J, Tomé W.
Med Dosim. 2005 Fall;30(3):162-8.